




## LIROS DynaSoft

02055

LIROS DynaSoft combines excellent grip, low weight, and minimal stretch characteristics. The hybrid braiding combines high-tenacity Grip fibre with Dyneema®. Ideal for sheet or forerunner halyard on competitive boats.

- non-slip grip
- extremely flexible
- LIROS-Heat-Stretch-System for low stretch
- round construction, great handling

### Colours



- 504 Grey-Turquoise
- 123 Grey-Red
- 121 Grey-Green

**NEW**

Ø mm	Breaking strength kg	Length of spool m
4	500	100
5	850	100
6	1200	100
8	2000	100

### Material

High tenacity Grip fibre and Dyneema®

### Construction

8-plaited with core



## LIROS Magic Pro

01507

A halyard or a sheet designed exclusively for dinghies, catamarans and sports boats. The low stretch characteristics are delivered by the LIROS Dyneema Pro core. Designed to be used with the cover stripped. The cover needs only to be used where the rope is being handled.

- Compact construction  
The compact construction ensures Magic Pro offers exceptional handling and good grip in cleats and stoppers.
- Flexibility  
The special grip between core and cover ensures perfect flexibility and maximum speed in all maneuvers.
- Grip  
The precise non slip grip gives better control.
- Stretch  
The LIROS Heat Stretch System used on the Dyneema core gives minimum stretch.

### Colours



- 236 White-Red
- 232 White-Green
- 229 White-Blue
- 501 White-Neon Yellow
- 239 White-Black

**NEW**

Ø mm	Breaking strength kg	Length of spool m
3	450	100
4	620	100
5	1250	100
6	1600	100
8	3000	100

**Cover** Polyester Grip Fibre and Polyester spin-dyed

**Core** Dyneema® SK78 with LIROS XTR Grip-Coating coloured

**Construction** 3–8 mm 16-plaited




## LIROS Magic Race

02016

Sheet and halyard rope with high strength and very low stretch. Compact construction gives great performance in blocks and on winches.

- *Stretch characteristics < 1.5%*
- *LIROS-Heat-Stretch-System*
- *Extreme high strength*

### Colours



**Cover** Polyester high twist 1:1-plaited  
**Core** Dyneema® SK78  
**Construction** 2-3 mm 16-plaited  
 4-10 mm 1:1-plaited

Ø mm	Breaking strength kg	Length of spool m
2	270	100
2.5	390	100
3	550	100
4	800	100
5	1100	100
6	2500	100
8	3800	100
10	5000	100

**NEW**



**LIROS HSS**  
Heat Stretch System  
**LIROS LCS**  
LIROS Coating System


## LIROS D-Pro

01505

D-Pro provides cutting edge performance on modern performance dinghies and sports boats. Especially developed for transmitting the highest loads to deliver maximum speed. An all purpose rope with the lowest weight and minimum stretch incorporating the LIROS HSS. High abrasion resistance and zero water absorption due to LIROS impregnation system.

- *Stretch characteristics < 1%*
- *higher breaking strength than wire diameter for diameter*
- *very low stretch*
- *zero water absorption*
- *very easy to splice*
- *LIROS-Heat-Stretch-System*

### Colours




Ø mm	Breaking strength kg	Length of spool m
1	195	100
1.5	230	100
2	410	100
2.5	580	100
3	950	100
4	1300	100
5	2600	100

**Material** Dyneema® SK78  
**Construction** 12-plaited, heat set, impregnated



**LIROS HSS**  
Heat Stretch System  
**LIROS LCS**  
LIROS Coating System



## LIROS Magic Gold


01500

A high performance Polyester cover with Dyneema® core makes this an ideal rope for performance dinghies, catamarans and sports boats. The low stretch and good grip characteristics make this ideal for control lines and halyards.

- *Stretch characteristics < 1.5%*
- *Excellent abrasion resistance*
- *Very low stretch characteristics due to Dyneema®*
- *LIROS-Heat-Stretch-System*
- *1.5 mm diameter without fleck: yellow, pink, purple and black*

Ø mm	Breaking strength kg	Length of spool m
1.5	125	100
2	240	100
3	420	100
4	580	100
5	1050	100
6	1800	100


### Colours



411  
Red-Neon Yellow-Blue

414  
Neon Yellow-Pink-Blue

500  
White-Pink-Blue



506  
Blue-Neon Yellow-Red

408  
Black-Neon Yellow-Blue

**NEW**



**LIROS HSS**  
Heat Stretch System

<b>Cover</b>	Polyester
<b>Core</b>	Dyneema® SK78
<b>Construction</b>	1.5–5 mm 16-plaited 6 mm 1:1-plaited



## LIROS Magic Sheet

01506

LIROS Magic Sheet has been specially developed for use as main- and jib sheets on dinghies, sports boats and catamarans.

- *Maximum flexibility: The cohesion between the core and the cover gives excellent flexibility and speed through the blocks.*
- *Handling: The precise nonslip grip give better control.*
- *Compact construction: With its round shape and compact braiding it assures excellent handling with good grip in cleats.*

Ø mm	Breaking strength kg	Length of spool m
7	970	100
9	1500	100

<b>Cover</b>	Polyester Grip Fibre and Polyester spin-dyed, 16-plaited
<b>Core</b>	High Tenacity Polypropylene

### Colours



405 White-Navy-Blue

404  
White-Silver



406  
White-Orange

407  
White-Sand

## LIROS Magic Speed


01501

A performance Polyester rope ideal for a use on dinghies and sports boats for halyards and control lines. Very abrasion resistant cover. Good in cleats, low stretch – Polyester core.

- *Stretch characteristics < 5%*
- *Excellent abrasion resistance*
- *Low stretch*

Ø mm	Breaking strength kg	Length of spool m
2	95	100
3	185	100
4	320	100
5	680	100
6	940	100

### Colours



412  
Red-Pink-Blue

479  
Blue-Pink-Red

500  
White-Pink-Blue



414  
Neon Yellow-Pink-Blue

408  
Black-Neon Yellow-Blue

**NEW**

<b>Cover</b>	Polyester
<b>Core</b>	Polyester
<b>Construction</b>	2–5 mm 16-plaited 6 mm 1:1-plaited

## LIROS Optisail

02056

The perfect new lacing line for Optis. Very low stretch, lightweight, with the ultimate in knot holding. Abrasion-resistant cover construction, with specially developed core of Dyneema® SK78.

- *Stretch characteristics < 1.5%*
- *Optimized knot tenacity*
- *LIROS-Heat-Stretch-System*
- *Available on 100m reels or in Point-of-Sale carton with 20m reels*

<b>Cover</b>	Polyester
<b>Core</b>	Dyneema® SK78
<b>Construction</b>	16-plaited

	Ø mm	Breaking strength kg	Length of spool m
<b>02056-0120</b>	1.2	120	100
<b>02056-2020</b>	1.2	120	20x20/Ktn.

### Colour



199 Black-Red



**LIROS HSS**  
Heat Stretch System

**NEW**